




Insertos Indexables de Diamante 80°

AP□□



Perfil	Tipo	Dimensión (mm)					Grado de Material	
		L ₁	L ₂	s	d	r	GG71	GG83
	APKT11T304	12.24	6.5	3.6	2.8	0.4	●	○
	APKT11T308					0.8	●	○
	APKT11T312					1.2	●	○
	APKT11T316					1.6	●	○
	APKT160408	17.877	9.33	5.76	4.4	0.8	●	○
	APMT1135	11.25	6.2	3.5	2.8	0.8	●	○
	APMT1104	17.25	9.25	4.76	4.4	0.8	●	○



Shanghai Trisun Parts Manufacture Co.,Ltd.

Oficina central en Shanghai:

Oficina 05-06, Piso 16th, Edificio Hongjia, Calle Fushan No.388 (Cerca de la Calle Xiangcheng), Pudong, Shanghai, China.

Código Postal: 200122


Tel.: +86-21-58355541,+86-21-58353145,+86-21-58353343



Fax: +86-21-58353141

Correo Electrónico: trisun24@trisunltd.com

●Tipo Recomendado ○Tipo Opcional (nota: los siguientes son los mismos)

CN□□



Perfil	Tipo	Dimensión (mm)					Grado de Material	
		L≈	d	s	d ₁	r	GG71	GG83
	CNMA120404	12.9	12.7	4.76	5.16	0.4	●	○
	CNMA120408					0.8	●	○
	CNMA120412					1.2	●	○
	CNMA120416					1.6	●	○
	CNMA160604	16.1	15.875	6.35	6.35	0.4	●	○
	CNMA160608					0.8	●	○
	CNMA160612					1.2	●	○
	CNMA160616					1.6	●	○
	CNMA160620					2.0	●	○
	CNMA160630	3.0	●	○				
	CNMA190612	19.3	19.05	6.35	7.94	1.2	●	○
	CNMA190616					1.6	●	○
	CNMG120404	12.9	12.7	4.76	5.16	0.4	●	○
	CNMG120408					0.8	●	○
	CNMG120412					1.2	●	○
	CNMG160604	16.1	15.875	6.35	6.35	0.4	●	○
	CNMG160608					0.8	●	○
	CNMG160612					1.2	●	○
	CNMG160616					1.6	●	○
	CNMG190608	19.3	19.05	6.35	7.94	0.8	●	○
	CNMG190612					1.2	●	○
	CNMG190616					1.6	●	○

Shanghai Trisun Parts Manufacture Co.,Ltd.

Oficina central en Shanghai:

Oficina 05-06, Piso 16th, Edificio Hongjia, Calle Fushan No.388 (Cerca de la Calle Xiangcheng), Pudong, Shanghai, China.


Código Postal: 200122




Telf.: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

Correo Electrónico: trisun24@trisunltd.com

CC□□



Perfil	Tipo	Dimensión (mm)					Grado de Material	
		L≈	d	s	d ₁	r	GG83	GG71
	CCMT060204-GF	6.4	6.35	2.38	2.8	0.4	●	○
	CCMT060208-GF					0.8	●	○
	CCMT09T304-GF	9.7	9.525	3.97	4.4	0.4	●	○
	CCMT09T308-GF					0.8	●	○
	CCMT120404-GF	12.9	12.7	4.76	5.5	0.4	●	○
	CCMT120408-GF					0.8	●	○
CCMW060204	6.4	6.35	2.38	2.8	0.4	●	○	
	CCMW09T304	9.7	9.525	3.97	4.4	0.4	●	○
	CCMW09T308					0.8	●	○
	CCMW120404	12.9	12.7	4.76	5.5	0.4	●	○
	CCMW120408					0.8	●	○
	CCMT080308	8	8	3.18	3.4	0.8	●	○
	CCMT08T308	8	8	3.97	3.4	0.8	●	○
	CCMT09T308	9.7	9.525	3.97	4.4	0.8	●	○
	CCMT120408	12.9	12.7	4.76	5.5	0.8	●	○

Shanghai Trisun Parts Manufacture Co.,Ltd.

Oficina central en Shanghai:

Oficina 05-06, Piso 16th, Edificio Hongjia, Calle Fushan No.388 (Cerca de la Calle Xiangcheng), Pudong, Shanghai, China.


Código Postal: 200122

Tel.: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

Correo Electrónico: trisun24@trisunltd.com

DN□□



Perfil	Tipo	Dimensión (mm)					Grado de Material	
		L≈	d	s	d ₁	r	GG71	GG83
	DNNA110412	11.6	9.525	4.76	3.81	1.2	●	○
	DNNA110416					1.6	●	○
	DNNA110426					2.4	●	○
	DNNA150404	15.5	12.7	4.76	5.16	0.4	●	○
	DNNA150408					0.8	●	○
	DNNA150412					1.2	●	○
	DNNA150604	15.5	12.7	6.35	5.16	0.4	●	○
	DNNA150608					0.8	●	○
	DNNA150612					1.2	●	○
	DNNA150616					1.6	●	○
	DNNG110404-GM	11.6	9.525	4.76	3.81	0.4	●	○
	DNNG110408-GM					0.8	●	○
	DNNG110412-GM					1.2	●	○
	DNNG150404-GM	15.5	12.7	4.76	5.16	0.4	●	○
	DNNG150408-GM					0.8	●	○
	DNNG150412-GM					1.2	●	○
	DNNG150604-GM	15.5	12.7	6.35	5.16	0.4	●	○
	DNNG150608-GM					0.8	●	○
	DNNG150612-GM					1.2	●	○
	DNNG150616-GM					1.6	●	○

Shanghai Trisun Parts Manufacture Co.,Ltd.

Oficina central en Shanghai:

Oficina 05-06, Piso 16th, Edificio Hongjia, Calle Fushan No.388 (Cerca de la Calle Xiangcheng), Pudong, Shanghai, China.

Código Postal: 200122

Telf.: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

Correo Electrónico: trisun24@trisunltd.com