


TSSC-J04 25mm-125mm/24mm-70mm Cartridge Seal



Rotary Ring (SiC/Carbon /TC)

Stationary Ring (SiC/TC)

Secondary Seal (VITON/Encapsulated Ring/PTFE)

Other Parts (SUS304/SUS316/Titanium/Hastelloy-C)

Operating Limits

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541, +86-21-58353145, +86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn



Pressure: $\leq 2.8\text{MPa}$

Speed: $\leq 25\text{m/s}$

Temperature: $-30^{\circ}\text{C} \sim +250^{\circ}\text{C}$

d ₁ (m m)	d ₃	d ₄		d ₂₆	l ₁₂	l ₂₃	l ₃₉	l ₅₆	l ₉₀	l ₉₁	l ₉₂	m	n
		min	max										
25	39.7	41.3	48.0	101. 6	84.5	34. 4	49. 6	13. 5	50. 8	38. 0	34. 9	13. 3	71.2
28	42.9	44.5	51.2	104. 8	80.8	36. 7	52. 4	13. 5	54. 0	31. 6	28. 5	13. 3	74.5
30	44.5	46.1	56.5	108. 0	81.7	36. 7	52. 4	13. 5	54. 0	32. 5	29. 4	13. 3	81.6
32	45.0	47.6	58.3	108. 0	86.1	36. 7	52. 4	13. 5	54. 0	36. 9	33. 7	13. 3	81.6
33	49.2	50.8	61.5	111. 1	83.6	36. 7	52. 4	13. 5	54. 0	34. 4	31. 2	13. 3	84.8
35	49.2	50.8	61.5	111. 1	83.6	36. 7	52. 4	13. 5	54. 0	34. 4	31. 2	13. 3	84.8
38	54.8	56.3	68.1	123. 8	90.1	37. 8	54. 0	15. 1	55. 6	39. 3	36. 1	13. 3	91.4
40	57.9	59.5	71.4	127. 0	91.7	37. 8	54. 0	15. 1	55. 6	40. 9	37. 7	14. 3	95.7
43	61.1	63.0	74.1	133. 4	92.1	37. 8	54. 0	15. 1	55. 6	41. 3	38. 1	14. 3	98.4
45	61.1	63.0	74.1	133. 4	92.1	37. 8	54. 0	15. 1	55. 6	41. 3	38. 1	14. 3	98.4
48	64.3	66.7	74.1	133. 4	92.1	37. 8	54. 0	15. 1	55. 6	41. 3	38. 1	14. 3	98.4
50	68.2	70.0	76.6	139. 7	102. 7	40. 7	58. 7	27. 0	60. 3	47. 1	43. 9	14. 3	101. 6
53	71.4	73.0	85.3	148. 8	102. 7	40. 7	58. 7	15. 1	60. 3	47. 1	43. 9	17. 4	113. 5
55	74.6	76.7	85.3	148. 8	105. 8	40. 7	58. 7	15. 1	60. 3	50. 3	47. 1	17. 4	113. 5
58	74.6	76.2	88.5	165. 1	105. 8	40. 7	58. 7	15. 1	60. 3	50. 3	47. 1	17. 4	116. 0
60	77.8	79.4	91.7	165. 1	103. 2	43. 6	62. 6	15. 9	64. 2	43. 7	40. 5	17. 4	119. 9

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn

63	82.6	85.7	98.8	171. 5	109. 9	43. 6	65. 1	15. 9	66. 7	48. 0	44. 8	17. 4	127. 0
65	82.6	85.7	98.8	171. 5	109. 9	43. 6	65. 1	15. 9	66. 7	48. 0	44. 8	17. 4	127. 0
68	88.9	92.1	103. 2	171. 5	116. 0	41. 2	63. 5	15. 9	65. 1	55. 7	52. 5	17. 4	131. 3
70	88.9	92.1	103. 2	171. 5	116. 0	41. 2	63. 5	15. 9	65. 1	55. 7	52. 5	17. 4	131. 3
75	100. 0	101. 6	113. 5	196. 9	120. 7	45. 4	65. 1	17. 4	66. 7	58. 8	55. 6	20. 6	145. 3
80	103. 2	104. 8	116. 8	188. 9	119. 8	40. 5	63. 8	\	66. 9	59. 3	56. 1	20. 6	148. 4
85	109. 5	111. 1	123. 2	206. 4	126. 2	40. 5	65. 1	\	68. 3	64. 3	61. 1	20. 6	154. 8
90	115. 9	117. 5	129. 5	212. 7	132. 5	40. 5	65. 1	\	68. 3	70. 6	67. 5	17. 4	158. 8
95	119. 1	121. 4	132. 1	222. 3	127. 8	40. 5	65. 1	\	68. 3	65. 9	62. 7	17. 4	172. 0
100	127. 5	129. 9	139. 7	228. 6	137. 3	40. 5	65. 1	\	68. 3	75. 4	72. 2	20. 6	171. 7
125	165. 1	167. 5	184. 4	304. 8	162. 7	44. 4	77. 2	\	80. 5	88. 5	88. 4	20. 6	254. 0

Shanghai Trisun Parts Manufacture Co.,Ltd.

Head office in Shanghai:

Room 05-06, 16th Floor, Hongjia Building, No.388 Fushan Rd. (Near Xiangcheng Rd.), Pudong, Shanghai, China.

Post Code: 200122

Tel: +86-21-58355541,+86-21-58353145,+86-21-58353343

Fax: +86-21-58353141

E-mail: trisunseal@yahoo.com.cn